

**IN THE CLAIMS**

Please **CANCEL** claims 3, 4, 21-28, 31, 37, 38, 44-46, and 51-53 without prejudice or disclaimer, as follows:

1. (PREVIOUSLY PRESENTED) A disc usable with respect to a recording and/or reproducing apparatus, the disc comprising:
  - a data area in which user data is recorded; and
  - at least one of a lead-in area and/or a lead-out area adjacent the data area and which comprises a temporary defect management area which comprises temporary defect information and temporary defect management information regarding the user data recorded in the data area and which is accessible by the recording and/or reproducing apparatus to perform defect management on the disc.
2. (ORIGINAL) The disc of claim 1, wherein:
  - the data area further comprises additional user data recorded in the data area in an additional recording operation other than a recording operation during which the user data was recorded in the data area, and
  - the temporary defect management area further comprises additional temporary defect information and additional temporary defect management information recorded in the temporary defect management area and corresponding to the additional user data recorded in the additional recording operation.
- 3-4. (CANCELLED)
5. (ORIGINAL) The disc of claim 1, wherein the temporary defect management area comprises a temporary defect information area, and the temporary defect information is recorded in the temporary defect information area.
6. (ORIGINAL) The disc of claim 1, wherein the temporary defect management area comprises a temporary defect management information area, and the temporary defect management information is recorded in the temporary defect management information area.
7. (ORIGINAL) The disc of claim 1, wherein the corresponding temporary defect information and temporary defect management information are recorded as a pair of information in the temporary defect management area.

8. (PREVIOUSLY PRESENTED) The disc of claim 1, further comprising a defect management area that is present in the at least one of the lead-in area and/or the lead-out area, wherein, during finalization of the disc, a last temporary defect information and a last temporary defect management information, which are last recorded in the temporary defect management area, are recorded as final defect information and defect management information in the defect management area.

9-18. (CANCELLED)

19. (PREVIOUSLY PRESENTED) A recording and/or reproducing apparatus for use with a disc having a data area and a temporary defect management area in at least one of a lead in and/or a lead out area, the apparatus comprising:

a recording/reading unit that records data on and/or reads data from the data area of the disc; and

a controller that controls the recording/reading unit to record temporary defect information in the temporary defect management area, the temporary defect information comprising defect information regarding the data recorded in the data area according to a recording operation, and to record temporary defect management information in the temporary defect management area, the temporary defect management information comprising management information for managing the temporary defect information.

20. (PREVIOUSLY PRESENTED) The recording and/or reproducing apparatus of claim 19, wherein the controller further controls the recording/reading unit:

to record additional data in the data area according to another recording operation,

to record additional temporary defect information and additional temporary defect management information in the temporary defect management area corresponding to the additional data recorded according to the additional recording operation, and

during finalization of the disc, to record a last recorded temporary defect information and a last recorded temporary defect management information in a defect management area which is present in at least one of the lead-in area and/or the lead-out area of the disc.

21-28. (CANCELLED)

29. (ORIGINAL) The disc of claim 5, wherein the temporary defect management area further comprises a temporary defect management information area other than the temporary defect information area, and the temporary defect management information is recorded in the temporary defect management information area.

30. (ORIGINAL) The disc of claim 7, wherein the corresponding temporary defect information and temporary defect management information are recorded as temporary management information in adjacent units in the temporary defect management area.

31. (CANCELLED)

32. (ORIGINAL) A storage medium usable with respect to a recording and/or reproducing apparatus, the storage medium comprising:

a data area comprising user data; and

a management area other than the data area and which comprises a temporary defect management area comprising temporary defect information regarding the user data recorded in the data area and which is accessible by the recording and/or reproducing apparatus to perform defect management on the disc,

wherein the storage medium is a write-once storage medium having a property which prevents, after the data is recorded on an area of the storage medium, new data from being written to the area of the storage medium.

33. (ORIGINAL) The storage medium of claim 32, wherein the management area further comprises a defect management area other than the temporary defect management area and comprising the temporary defect information usable by the recording and/or reproducing apparatus to perform the defect management on the storage medium.

34. (ORIGINAL) The storage medium of claim 33, wherein:

the data area further comprises additional user data,

additional temporary defect information corresponding to the additional user data is recorded as additional temporary management information in the temporary defect management area,

the additional temporary defect information further comprises the temporary defect information, and

the defect management area comprises the additional temporary defect information.

35. (ORIGINAL) A storage medium usable with respect to a recording and/or reproducing apparatus, the storage medium comprising:

a data area comprising user data and additional user data recorded in an area other than an area in which the user data is recorded; and

a management area other than the data area and which comprises a temporary defect management area comprising temporary defect information regarding the user data recorded in the data area, and additional temporary defect information recorded in an area other than an area in which the temporary defect information is recorded,

wherein the additional temporary defect information comprises defect information corresponding to the additional user data and to the user data and is accessible by the recording and/or reproducing apparatus to perform defect management on the disc.

36. (ORIGINAL) The storage medium of claim 35, wherein the temporary defect management area further comprises:

temporary defect management information usable by the recording and/or reproducing apparatus to manage the temporary defect information, and

additional temporary defect management information usable by the recording and/or reproducing apparatus to manage the additional temporary defect information.

37-38. (CANCELLED)

39. (PREVIOUSLY PRESENTED) The storage medium of claim 35, wherein the management area further comprises a defect management area other than the temporary defect management area and comprising at least one of the temporary defect information and/or the additional temporary defect information usable by the recording and/or reproducing apparatus to perform the defect management on the disc.

40. (ORIGINAL) The storage medium of claim 39, wherein:

the additional temporary defect information includes the temporary defect information,  
and

the defect management area comprises the additional temporary defect information.

41. (ORIGINAL) A recording and/or reproducing apparatus for use with a storage medium having a data area and a management area in an area other than the data area and which includes a temporary defect management area, the recording and/or reproducing apparatus comprising:

a pickup unit that transfers data with respect to the data area; and

a controller that controls the pickup unit to transfer the data with respect to the data area, and to transfer temporary defect information with respect to the temporary defect management area, the temporary defect information comprising defect information regarding the data recorded in the data area according to a recording operation and which the controller uses to perform defect management with respect to the storage medium,

wherein the storage medium is a write-once storage medium having a property which prevents, after the data is recorded on an area of the storage medium, new data from being written to the area of the storage medium.

42. (ORIGINAL) The recording and/or reproducing apparatus of claim 41, wherein the controller further controls the pickup unit to transfer additional data with respect to an area of the data area other than an area in which the data is recorded, and to record additional temporary defect information corresponding to the additional data in the temporary defect management area.

43. (ORIGINAL) The recording and/or reproducing apparatus of claim 41, wherein the controller further transfers temporary defect management information with respect to the temporary defect management area, the temporary defect management information comprising management information used by the controller for managing the temporary defect information.

44-46. (CANCELLED)

47. (ORIGINAL) The recording and/or reproducing apparatus of claim 41, wherein the management area further comprises a defect management area other than the temporary defect management area, and the controller controls the pickup unit to additionally transfer the temporary defect information with respect to the defect management area.

48. (ORIGINAL) The recording and/or reproducing apparatus of claim 47, wherein:  
the controller further controls the pickup unit to transfer additional data with respect to the

data area, and to transfer additional temporary defect information corresponding to the additional data and which is recorded as additional temporary management information in the temporary defect management area,

the additional temporary defect information further comprising the temporary defect information, and

the defect management area comprises the additional temporary defect information.

49. (ORIGINAL) A computer readable medium encoded with processing instructions for implementing a method of transferring data with respect to a storage medium performed by a computer, the storage medium having a data area and a management area in an area other than the data area and which includes a temporary defect management area, the method comprising:

controlling a pickup unit to transfer data with respect to the data area;

obtaining temporary defect information comprising defect information regarding the data recorded in the data area according to a recording operation and which is used to perform defect management with respect to the storage medium;

obtaining temporary defect management information used to manage the temporary defect information; and

controlling the pickup unit to transfer the temporary defect information and the temporary defect management information with respect to the temporary defect management area.

50. (ORIGINAL) The computer readable medium of claim 49, wherein the method further comprises transferring additional data with respect to an area of the data area other than an area in which the data is recorded, and transferring additional temporary defect information corresponding to the additional data with respect to an area of the temporary defect management area other than an area in which the temporary defect information is recorded.

51-53. (CANCELLED)

54. (ORIGINAL) The computer readable medium of claim 49, wherein the management area further comprises a defect management area other than the temporary defect management area, and the method further comprises controlling the pickup unit to additionally transfer the temporary defect information with respect to the defect management area.

55. (ORIGINAL) The computer readable medium of claim 54, wherein:

the method further comprises controlling the pickup unit to transfer additional data with respect to the data area, and to transfer additional temporary defect information corresponding to the additional data and which is recorded as additional temporary management information in the temporary defect management area,

the additional temporary defect information further comprising the temporary defect information, and

the defect management area comprises the additional temporary defect information.